Supporting the workforce to manage mental health conditions

<u>Sally Boardman</u>, Christina Marel, Alexandra Azzi, Erin Madden, Kathleen Palmer, Katherine Mills

The Matilda Centre for Research in Mental Health and Substance Use, University of Sydney





'Comorbidity' or 'co-occurring conditions'

- Broad definition the co-occurrence of two or more disorders in a person within a specified timeframe (i.e., lifetime, current)
- Our focus here: the co-occurrence of an AOD use disorder/condition with one or more mental health disorders/conditions

'Comorbidity' or 'co-occurring conditions'

- Other types of comorbid/co-occurring conditions:
 - AOD use disorders (including smoking/vaping)
 - Physical health conditions (e.g., cirrhosis, hepatitis, heart disease, diabetes
 - Intellectual and learning disabilities
 - Cognitive impairment
 - Chronic pain
- Often referred to as 'dual diagnosis' misnomer

Co-occurring disorders are common


Mental and substance use disorders are two of Australia's most common and burdensome health conditions, affecting 1 in 5 each year

They frequently co-occur

 Estimated that at least one in two entrants to AOD treatment have a co-occurring mental health condition



How common are co-occurring disorders?



How common are co-occurring disorders?

- Many people present to treatment experiencing symptoms of disorders while not meeting criteria for a diagnosis of a disorder
- So what?
 - May not meet full diagnostic criteria according to the classification systems, their symptoms may impact significantly on functioning and treatment outcomes



Complex presentations



Complex trauma histories



More severe & extensive drug use histories



Poorer physical & mental health




Increased risk of self-harm & suicide



Poorer social, occupational & interpersonal functioning



People with mental or substance use disorders die an astonishing 20 to 30 years earlier than the general population, and spend the last ten years of life living with disabling chronic illnesses



With co-occurring conditionsWithout co-occurring conditions

Research has shown that people with co-occurring mental health conditions can benefit just as much as those without from usual AOD treatment

Strengthening workforce capacity

- Lack of resources for AOD workers
- O AOD workers reported feeling overwhelmed and fearful of treating mental health conditions
- Educational resources for AOD workers identified as a priority, by numerous reviews, policy documents and by AOD workers themselves
- In terms of AOD workforce development, the management of cooccurring mental health conditions been described as:

"the single most important issue...a matter akin to blood-borne viruses in the 1980s"



Program of work



Organisations/services —



Implementation toolkit

Workforce







Online training



Train the trainer



Skills-based training



Webinar library



Development of an online platform

COMMUNITY OF PRACTICE

For professionals in Australia who work with people experiencing co-occurring alcohol and other drug (AOD) use and mental health conditions.

Register now

Features



Accessing resources



Sharing ideas and knowledge



Making connections

Community of practice

- Funded by the Australian Government Department of Health and Aged Care
- Designed for professionals in Australia who work with people experiencing co-occurring AOD use and mental health conditions
- Overall goal is to positively impact the health outcomes of people who experience co-occurring AOD use and mental health conditions

Development and aims

- Development based on:
 - Evidence
 - Focus group consultations with stakeholders (involving clinicians, people with lived and living experience, family and loved ones, researchers)







- Provide a platform where members can connect
- Access evidence-based resources
- Engage and collaborate with other professionals in this field
- Enhance practice
- → Ultimately positively impact health outcomes of people who experience co-occurring conditions


Intended audience


- Working or affiliated with an AOD service or organisation or work in another capacity with people who use AOD
 - E.g., addiction medicine specialist, AOD worker, counsellor, general practitioner, nurse, other allied health professional, peer worker, people in identified lived experience roles, pharmacist, psychiatrist, psychologist, residential support worker, social worker


Community of Practice: home


















Join communities







Subscribe to topics






Build connections





Access a calendar of events





To be notified when the Community is live

- Please scan the QR code or
- Follow this link below:
 https://community.comorbidity.or
 g.au/



Thank you!

Questions?





sally.boardman@sydney.edu.au

www.comorbidityguidelines.org.au

